

TCB

GRANT OF EQUIPMENT
AUTHORIZATION

TCB

Certification
Issued Under the Authority of the
Federal Communications Commission
By:

Telefication B.V.
Edisonstraat 12a
Zevenaar, NL-6902 PK
Netherlands

Date of Grant: 07/25/2018

Application
Dated: 07/20/2018

Shenzhen Chainway Information Technology Co., Ltd.
9/F, Building 2, Daqian Industrial Park,
Longchang Rd., District 67, Bao'an,
Shenzhen,
China

Attention: Li Wenzhang , Manager

NOT TRANSFERABLE


EQUIPMENT AUTHORIZATION is hereby issued to the named
GRANTEE, and is VALID ONLY for the equipment identified hereon for
use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER:
Name of Grantee:
Equipment Class:
Notes:

2AC6AC75
Shenzhen Chainway Information Technology Co., Ltd.
PCS Licensed Transmitter held to ear
Mobile Data Terminal

Grant Notes	FCC Rule Parts	Frequency Range (MHZ)	Output Watts	Frequency Tolerance	Emission Designator
	22H	824.2 - 848.8	1.39	0.0564 PM	248KGXW
	24E	1850.2 - 1909.8	0.45	0.0294 PM	244KGXW
	22H	824.2 - 848.8	0.86	0.0295 PM	251KG7W
	24E	1850.2 - 1909.8	0.59	0.0192 PM	252KG7W
	22H	826.4 - 846.6	0.37	0.0207 PM	4M22F9W
	27	1712.4 - 1752.6	0.23	0.0238 PM	4M24F9W
	24E	1852.4 - 1907.6	0.26	0.0164 PM	4M23F9W
	24E	1850.7 - 1909.3	0.184	0.0079 PM	18M0G7D
	24E	1850.7 - 1909.3	0.147	0.0079 PM	18M1W7D
	24E	1850.7 - 1909.3	0.185	0.0079 PM	13M5G7D
	24E	1850.7 - 1909.3	0.167	0.0079 PM	13M5W7D
	27	1710.7 - 1754.3	0.169	0.0075 PM	18M0G7D
	27	1710.7 - 1754.3	0.173	0.0075 PM	18M1W7D
	27	1710.7 - 1754.3	0.169	0.0075 PM	2M74G7D
	27	1710.7 - 1754.3	0.188	0.0075 PM	4M58W7D
	27	2502.5 - 2567.5	0.195	0.0049 PM	18M0G7D
	27	2502.5 - 2567.5	0.178	0.0049 PM	18M1W7D
	27	2502.5 - 2567.5	0.202	0.0049 PM	13M5G7D
	27	2502.5 - 2567.5	0.208	0.0049 PM	13M6W7D
	27	699.7 - 715.3	0.128	0.0173 PM	9M04G7D
	27	699.7 - 715.3	0.122	0.0173 PM	9M03W7D
	27	699.7 - 715.3	0.14	0.0173 PM	4M54G7D
	27	699.7 - 715.3	0.137	0.0173 PM	2M71W7D
	27	706.5 - 713.5	0.146	0.0185 PM	9M03G7D
	27	706.5 - 713.5	0.112	0.0185 PM	9M04W7D
	27	706.5 - 713.5	0.175	0.0185 PM	4M54G7D
	27	706.5 - 713.5	0.105	0.0185 PM	4M54W7D

Output power is ERP for Part 22 and EIRP for Part 24.and Part 27. This is a portable device. The SAR data in this filing is applicable to demonstrate compliance for body-worn operating conditions and is limited to the specific configuration tested for this filling. End-users must be informed of the body worn requirements to satisfy RF exposure compliance. This equipment should be installed and operated with minimum distance 10 mm between radiator and human body. The highest reported SAR values for head, body-worn accessory, and simultaneous transmission use conditions are 0.13 W/kg, 0.66 W/kg, and 0.81 W/kg, respectively.

Certificate No.: 182180882/AA/00	Gürhan Vural Product Assessor	
-------------------------------------	----------------------------------	---